

Parts List

Thank you for choosing the Polycom® SoundStation IP 7000, a conference telephone that provides high quality audio conferencing over an IP network.

These items are included in your SoundStation IP 7000 package. If you are missing any items, contact your SoundStation IP 7000 reseller.



SoundStation IP 7000






Optional Accessories



Power Interface Cable






External Microphones


Installation

To install the SoundStation IP 7000, plug one end of the network cable into the network port on the bottom of the SoundStation IP 7000 console, and plug the other end of the network cable into your data port with PoE.





External Microphone

Connect external microphones (optional accessory), as shown below.



Features






Startup

After it has been connected to the network, the SoundStation IP 7000 automatically powers up via Power over Ethernet (PoE), and begins a process of establishing itself on the network. When this is complete, the Idle screen is displayed (as shown on the right).

For more information, refer to the SoundStation IP 7000 User Guide, available online at: http://support.polycom.com/voice



Warranty, Copyright, Safety Notices

LIMITED WARRANTY. Polycom warrants to the end user ("Customer") that this product will be free from defects in workmanship and materials, under normal use and service, for one year from the date of purchase from Polycom or its authorized reseller. Polycom's sole obligation under this express warranty shall be, at Polycom's option and expense, to repair the defective product or part, deliver to Customer an equivalent product or part to replace the defective item, or if neither of the two foregoing options are reasonably wailable, Polycom may, on its sole discersion, refund to Customer the zero exposured and the product of the two foregoing options are reasonably wailable. Polycom may on its sole discersion, refund to Customer the exposure of the property of Polycom. Replacement products or parts may be new or reconditioned. Polycom warrants any replaced or repaired product or part for ninety (90) days from shipment, or the remainder of the initial warranty period, whichever is longer.

ionger. Products returned to Polycom must be sent prepaid and packaged appropriately for safe shipment, and it is recommended that they be insured or sent by a method that provides for tracking of the package. Responsibility for loss or dranged does not transfer to for tracking of the package. Responsibility for loss or dranged does not transfer to the provides of the provides of the package. Responsibility for loss or dranged does not transfer to the provident of the provident provident and the provident provi

•Failure to follow Polycom's installation, operation, or maintenance instructions
•Unauthorized product repair, modification or alteration.

Unauthorized use of common carrier communication services accessed through the

-Abuse, misuse, negligent acts or omissions of Customer and persons under Customer's control; or

Acts of third parties, acts of God, accident, fire, lightening, power surges or outages, or

-Acts of bird parties, acts of God, accident, fire, lightening, power surges or outages, or other hazards.

WARRANTY EXCLUSIVE. IF A POLYCOM PRODUCT DOES NOT OPERATE AS:

WARRANTY EXCLUSIVE. IF A POLYCOM PRODUCT DOES NOT OPERATE AS:

WARRANTED ABOVE, CUSTOMERS SOLE REMEDY FOR BREACH OF THAT WINCHASE PRICE PAID AT POLYCOMS OF THAT WINCHASE PRICE PAID AT POLYCOMS OF THOM. TO THE FULL EXTENT ALLOWED BY LAW. THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES. TERMS, OR CONDITIONS, EXPRESS OR IMPLIED, ETHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES, TERMS, OR CONDITIONS OF MERCHANTABILITY FITTERS FOR A PARTICULAR PURPOSES AND FACTORY OUTLAND. CORRESPONDENCE, WITH STREAMS, OR CONDITIONS OF MERCHANTABILITY FITTERS FOR A PARTICULAR PURPOSES AND STATUTORY OUTLAND. CORRESPONDENCE WITH STREAMS, OR CONDITIONS OF MERCHANTER HER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS. PERSONTO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS. SERVICE AGREEMENTS. Please contact your Polycom Authorized Reseller for information about service agreements applicable to your product. SOFTWARE SUPPORT Polycom will provide support for software running on the Product if all of the following conditions are satisfied:

The product is under warranty or is covered by a Polycom service contract;

The product is under warranty or is covered by a Polycom service contract;

The product is operating on a Polycom-approved partner platform; and

• The product software is the current major version or the next preceding major version (software revisions are labeled as "x, x,", with the first two digits designating major versions).

• The product software comes with 90-day software warranty, providing for software updates (minor releases/bug fixes).

In a product software cories with 20-day software warranty, proving for software updates (minor releases/bug fixes). To confline to receive support, purchasing a maintenance contract is the most To confline to receive support, purchasing a maintenance contract is the most To confline the receive support should be made through the Polycom Reseller from whom the product was purchased. I will receive the receive support of the receive support should be made through the Polycom Reseller from whom the product was purchased. I will receive support su

PURPOSE.
DISCLAIMER. Some countries, states, or provinces do not allow the exclusion or limitation of implied warranties or the limitation of incidental or consequential minusur or impries warranties or me immitation or incicental or consequential damages for extend products supplied to consumers, or the limitation of liability for personal injury, so the above limitations and exclusions may be limited in their application to you. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of the applicable written warranty. In the work of the product of the produc

This warranity gives you specinc legal rights without programmer of the control law. GOVERNING LAW. This Limited Warranty and Limitation of Liability shall be governed by the laws of the State of California, U.S.A., and by the laws of the United States, excluding their conflicts of laws principles. The United Nations of Liability and the Control of trademarks of Polycom, Inc. in the U.S. and various other countries. COPYRIGHT. All rights reserved under International and pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent of Polycom, inc. Polycom⁵ and the logo design are registered trademarks and Polycom, inc. Polycom⁵ and the logo design are registered trademarks and Polycom, inc. The United States, and Countries are considered to the product of identification, copyright or other notices.

CE Mark R & TTE Directive (EU Only)

Polycom (UK) Ltd tímto prohlašuje, že tento Polycom SoundStation IP7000 je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnice 1999/5/ES.

pozatawny a caismir prisusnymi usainovientini shremice 1999/cie.

Undertegnede Polycom (UK) Ltd erklärere herved, at følgende udstyr Polycom SoundStation IP7000 overholder de vassentlige krav og øvrige relevante krav i direktiv 1999/GEF.

Hiermit erklärt Polycom (UK) Ltd, dass sich das Gerät Polycom SoundStation IP7000 in Übereinstimmung mit den grundlegenden Anford Richtlinie 1999/5/EG befindet. nden Anforderungen und den übrigen einschlägigen Bestimmungen de

Käesolevaga kinnitab Polycom (UK) Ltd seadme Polycom SoundStation IP7000 vastavust direktiivi 1999/5/EÜ põhinõuetele ja nimetatud direktiivist tulenevatele teistele asjakohastele sätetele. Hereby, Polycom (UK) Ltd. declares that this SoundStation IP7000 is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

Por medio de la presente Polycom (UK) Ltd declara que el Polycom SoundStation IP7000 cumple con la requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 1999/5/CE ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ Polycom (UK) Ltd ΔΗΛΩΝΕΙ ΟΤΙ Polycom SoundStation IP7000 ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 1999/5/ΕΚ. Par la présente Polycom (UK) Ltd déclare que l'appareil Polycom SoundStation (P7000 est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 1999/SCE. Con la presente Polycom (UK) Ltd dichiara che questo Polycom SoundStation (P7000 è conforme aux requisit essenzial et alle altre disposizioni pertinenti stabilite dalla direttiva 1999/SCE.

Her með lýsir Polycom (UK) Ltd yfir því að Polycom SoundStation IP7000 er í samræmi við grunnkröfur og aðrar kröfur, sem gerðar eru í tilskipun 1999/5/EC

Ar šo Polycom (UK) Ltd deklarē, ka Polycom SoundStation IP7000 atbilst Direktīvas 1999/5/EK būtiska prasībām un citiem ar to saistītajiem noteikumiem.

SAFETY AND REGULATORY INFORMATION. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept

any interferences received, including interference that may cause undesired

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Hereby, Polycom, Inc. declares that the products in this manual are CE marked and in compliance with all EU directives and regulations that apply to them including; R8TTE Directive 1999/5IEC. A full copy of the Declaration of Conformity can be obtained from Polycom Ltd., 270 Bath Road, Slough, Berkshire, SL1 4DX, UK. In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment

Operating Ambient Conditions: Operating temperature: +32 to 104°F (0 to 40°C); Relative humidity: 20% to 85%, non-condensing; Storage temperature: -22 to +131°F (-30 to +55°C).

Installation must be performed in accordance with all relevant national wiring rules. L'Installation doit être exécutée conformément à tous les règlements nationaux applicable au filage électrique.

The outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible. When using Power over Ethernet (PoE), the equipment is to be connected only to PoE networks without connections to the outside plant.

La prise électrique à laquelle l'appareil est branché doit être installée près de l'équipement et doit toujours être facilement accessible. Lorsque vous utilisez

Šiuo Polycom (UK) Ltd deklaruoja, kad šis Polycom SoundStation IP7000 atitinka esminius reikalavimus ir kitas 1999/5/EB Direktyvos nuostatas.

Hisrbij verklaart Polycom (UK) Lid dat het toestel Polycom Sound'station (197000 in overeenstemming is met de essentible eisen en de andere relevante bepalingen van richtlijn 1990/EC.
Hawheisk, Polycom (UK) Lid jiddijskral i dan Polycom Sound'station (19700) (likton-forma mal-hilgijiet essenzjali u ma provvedimenti ohrajn relevanti il hemm fid-Dirrettiva 1999/SEC.

Aullirott, Polycom (UK) Ltd nyllatkozom, hogy a Polycom SoundStation IP7000 megfelel a vonatkozó alapvető követelményeknek és az 1999/5/EC irányelv egyéb előírásainak.

Polycom (UK) Ltd erklærer herved at utstyret Polycom SoundStation IP7000 er i samsvar med de grunnleggende krav og øvrige relevante krav i direktiv 1999/5/EF.

Niniejszym Polycom (UK) Ltd oświadcza, że Polycom SoundStation IP7000 jest zgodne z zasadniczymi wymaganiami oraz innymi stosownymi postanowieniami Dyrektywy 1999/5/WE

Polycom (UK) Ltd declara que este Polycom SoundStation IP7000 está conforme com os requisitos essenciais e outras disposições da Directiva 1999/5/CE.

Polycom (UK) Ltd izjavlja, da je ta Polycom SoundStation IP7000 v skladu z bistvenimi zahtevami in ostalimi relevantnimi določili direktive 1999/5/ES. Polycom (UK) Ltd týmto výhlasuje, že Polycom SoundStation IP7000 spĺňa základné požiadavky a všetky príslušné ustanovenia Smernica 1999/5/ES.

. Polycom (UK) Ltd vakuuttaa täten että Polycom SoundStation IP7000 tyyppinen laite on direktiivir 1999/5/EY oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen. Härmed intygar Polycom (UK) Ltd att denna Polycom SoundStation IP7000 står I överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 1999/5/EG.

une alimentation électrique par cable ethernet (PoE - Power over Ethernet), l'équipement doit être connecté uniquement aux réseaux PoE sans connexions

vers l'extérieur de l'usine. This Class [A] digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe [A] sera conforme à la norme NMB-003 du

Canada To avoid electric shock, do not connect safety extra low voltage (SELV) circuits to teleconference station network (TNV) circuits. LAN ports contain SELV circuit, and WAN ports contain TNV circuits. Some LAN and WAN ports both

use RJ-45 connectors. Use caution when connecting cables. This product is rated 48Vdc, 0.63A. When used with the optional external power supply, FSP030-DGAA5, the power supply shall be a Listed power supply with a LPS output, rated 48V, min. 0.63A. Afin d'éviter les chocs électriques, ne pas connecter de circuits de tension extra-basse de sécurité (SELV) à des circuits de réseau de stations de

extra-basse de securite (SeLU) a des circuits de reseau de stations de téléconférence (TNV). Les ports LAN contiennent un circuit SELV et les ports WAN contiennent des circuits TNV. Certains ports LAN et WAN utilisent tous deux des connecteurs RJ-45. Faites preuve de prudence lors de la connexion des câbles. Ce produit a les caractéristiques suivantes : 48 Vdc, 0.63 A. Lorsqu'il est utilisé avec le bloc d'alimentation externe facultatif, FSP030-DGAA5, l'alimentation électrique doit être répertoriée et munie d'une sortie LPS, possédant les caractéristiques suivantes : 48 V, 0.63 Å min. In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2rd Edition); Am1:2009 or IEC 60950-1:2005 (2rd Edition);

Am1:2009: Am2:2013. En outre, toutes les sources PoE doivent satisfaire aux exigences de source d'alimentation limitée de la IEC 60950-1:2005 (2ème édition); Am1:2009 ou IEC 60950-1:2005 (2ème édition); Am1:2009; Am2:2013.

Australia Warning: This equipment will be inoperable when mains power fails. Japan: この装置は、クラスA情報技術装置です。この装置を家庭環境で使用する と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策 を講ずるよう要求されることがあります。

http://www.polycom.com

Polycom, Inc. 6001 America Center Drive, San Jose, CA 95002 USA

Contact Information:

Please contact your Polycom Reseller for assistance.

